

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--|---------------------------------|
| Trade name or designation of the mixture | 100, 102, 104, 108 Mold Release |
| Registration number | - |
| Synonyms | None. |
| Issue date | 06-December-2013 |
| Version number | 04 |
| Revision date | 04-August-2016 |
| Supersedes date | 23-July-2015 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|----------------------|---------------|
| Identified uses | Mold Release. |
| Uses advised against | None known. |

1.3. Details of the supplier of the safety data sheet

| | |
|-----------------------|---|
| Manufacturer/Supplier | TR Industries a Division of Granitize Products Inc. |
| Address | 11022 Vulcan Street South Gate, CA 90280-0893 United States |
| Telephone: | (562) 923-5438 |
| Emergency | CHEMTREC: (800) 424-9300 CHEMTREC International: 00 1-703-527-3887 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

| | | |
|------------------|------------|-------------------------|
| Flammable solids | Category 2 | H228 - Flammable solid. |
|------------------|------------|-------------------------|

Health hazards

| | | |
|--|-------------------------------------|---|
| Skin corrosion/irritation | Category 2 | H315 - Causes skin irritation. |
| Specific target organ toxicity - single exposure | Category 3 narcotic effects | H336 - May cause drowsiness or dizziness. |
| Specific target organ toxicity - repeated exposure | Category 1 (Central nervous system) | H372 - Causes damage to organs (Central nervous system) through prolonged or repeated exposure. |

Environmental hazards

| | | |
|--|------------|---|
| Hazardous to the aquatic environment, long-term aquatic hazard | Category 2 | H411 - Toxic to aquatic life with long lasting effects. |
|--|------------|---|

Hazard summary

Flammable solid. Causes damage to organs (Central nervous system) through prolonged or repeated exposure. May cause drowsiness and dizziness. Causes skin irritation. Dangerous for the environment if discharged into watercourses.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Mineral spirits

Hazard pictograms



Signal word: Danger

Hazard statements

| | |
|------|------------------------------------|
| H228 | Flammable solid. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P391 Collect spillage.
P370 + P378 In case of fire: Use Water, Water fog, Foam, Dry chemical powder, Carbon dioxide for extinction.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | INDEX No. | Notes |
|------------------------|---|-------------------------|------------------------|--------------|-------|
| Mineral spirits | 70 - 80 | 64742-88-7 265-191-7 | 01-2119537181-47 | 649-405-00-X | |
| Classification: | Flam. Liq. 3;H226, Asp. Tox. 1;H304, Skin Irrit. 2;H315, STOT SE 3;H336, STOT RE 1;H372, Aquatic Chronic 2;H411 | | | | |
| Carnauba wax | 10 - 15 | 8015-86-9 232-399-4 | - | - | |
| Classification: | - | | | | |
| Polyalkyl siloxane | 5 - 10 | 63148-62-9 - | - | - | |
| Classification: | Eye Irrit. 2;H319 | | | | |
| Polyethylene, oxidized | 1 - 5 | 68441-17-8 - | - | - | |
| Classification: | - | | | | |

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.
vPvB: very persistent and very bioaccumulative substance.
PBT: persistent, bioaccumulative and toxic substance.

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Take off contaminated clothing and shoes immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.

4.1. Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. Call a POISON CENTRE or doctor/physician if you feel unwell. If symptomatic, move to fresh air. Get medical attention. |
| Skin contact | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes. |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention immediately. Never give anything by mouth to a victim who is unconscious or is having convulsions. |

4.2. Most important symptoms and effects, both acute and delayed

May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Diarrhoea. Behavioural changes. Decrease in motor functions. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. Causes damage to organs (Central nervous system, Lung) through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Flammable solid.

5.1. Extinguishing media

Suitable extinguishing media Water. Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed. Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out. Withdraw immediately in case of rising sound from venting safety device or any discolouration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Water runoff can cause environmental damage.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders Keep unnecessary personnel away. Be aware of potential for surfaces to become slippery.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. This material and its container must be disposed of as hazardous waste. Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s)

Mold release.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

| Components | Type | Value | Form |
|----------------------------------|------|-----------------------|--------|
| Mineral spirits (CAS 64742-88-7) | TWA | 200 mg/m ³ | Vapor. |

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

| Components | Type | Value |
|----------------------------------|------|-----------------------|
| Mineral spirits (CAS 64742-88-7) | TWA | 300 mg/m ³ |

Italy. OELs

| Components | Type | Value | Form |
|----------------------------------|------|-----------------------|--------------|
| Mineral spirits (CAS 64742-88-7) | TWA | 200 mg/m ³ | Non-aerosol. |

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

| Components | Type | Value |
|----------------------------------|------|---------------------------------|
| Mineral spirits (CAS 64742-88-7) | STEL | 600 mg/m ³ |
| | TWA | 100 ppm |
| | | 300 mg/m ³ 50 ppm |

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

| Components | Type | Value |
|----------------------------------|------|-----------------------|
| Mineral spirits (CAS 64742-88-7) | STEL | 300 mg/m ³ |
| | TWA | 100 mg/m ³ |

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

| Components | Type | Value | Form |
|--|--|-----------------------|--------------|
| Mineral spirits (CAS 64742-88-7) | TWA | 200 mg/m ³ | Non-aerosol. |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | | |
| Recommended monitoring procedures | Follow standard monitoring procedures. | | |
| Derived no effect levels (DNELs) | Not available. | | |
| Predicted no effect concentrations (PNECs) | Not available. | | |
| Exposure guidelines | Occupational Exposure Limits are not relevant to the current physical form of the product. | | |
| 8.2. Exposure controls | | | |
| Appropriate engineering controls | Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. | | |
| Individual protection measures, such as personal protective equipment | | | |
| General information | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. | | |
| Eye/face protection | Wear approved safety glasses or goggles. | | |
| Skin protection | | | |
| - Hand protection | Wear appropriate chemical resistant gloves. | | |
| - Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. | | |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| Hygiene measures | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. | | |
| Environmental exposure controls | Inform appropriate managerial or supervisory personnel of all environmental releases. | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Appearance | Wax. |
| Physical state | Solid. |
| Form | Solid. Wax. Paste. |
| Colour | Various. |
| Odour | Hydrocarbon-like. |
| Odour threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | > 38,0 °C (> 100,4 °F) Cleveland closed cup (Estimated) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Flammable solid. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | < 1 (H ₂ O=1) (Estimated). |

| | |
|--|----------------------|
| Solubility(ies) | Negligible in water. |
| Partition coefficient (n-octanol/water) | No data available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2. Other information | |
| VOC | 4,84 lb/gal (580g/l) |

SECTION 10: Stability and reactivity

| | |
|---|--|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Electrostatic Discharge. |
| 10.5. Incompatible materials | Strong oxidising agents. Water. |
| 10.6. Hazardous decomposition products | Thermal decomposition of this product can generate carbon monoxide and carbon dioxide. |

SECTION 11: Toxicological information

| | |
|---|--|
| General information | Occupational exposure to the substance or mixture may cause adverse effects. |
| Information on likely routes of exposure | |
| Inhalation | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Causes damage to organs (central nervous system) through prolonged or repeated exposure. |
| Skin contact | Causes skin irritation. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Ingestion may cause irritation and malaise. |
| Symptoms | Narcosis. Headache. Nausea, vomiting. Behavioural changes. Decrease in motor functions. Skin irritation. May cause redness and pain. Causes damage to organs (Central nervous system, Lung) through prolonged or repeated exposure. May cause drowsiness or dizziness. |
| 11.1. Information on toxicological effects | |
| Acute toxicity | Not expected to be acutely toxic. |
| Skin corrosion/irritation | Causes skin irritation. |
| Serious eye damage/eye irritation | May cause eye irritation on direct contact. |
| Respiratory sensitisation | Not a respiratory sensitiser. |
| Skin sensitisation | Not a skin sensitiser. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | May cause drowsiness and dizziness. |
| Specific target organ toxicity - repeated exposure | Causes damage to organs (Central nervous system, Lung) through prolonged or repeated exposure. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Mixture versus substance information | No information available. |
| Other information | Symptoms may be delayed. |

SECTION 12: Ecological information

| | |
|--|---|
| 12.1. Toxicity | Toxic to aquatic life with long lasting effects. |
| 12.2. Persistence and degradability | There are no data on the degradability of this product. |
| 12.3. Bioaccumulative potential | No data available on bioaccumulation. |

| | |
|--|--|
| Partition coefficient n-octanol/water (log Kow) | No data available. |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | The product is insoluble or slightly soluble in water. |
| 12.5. Results of PBT and vPvB assessment | Not a PBT or vPvB substance or mixture. |
| 12.6. Other adverse effects | The product contains volatile organic compounds which have a photochemical ozone creation potential. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-------------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|---|
| 14.1. UN number | UN3175 |
| 14.2. UN proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (MINERAL SPIRITS) |
| 14.3. Transport hazard class(es) | |
| Class | 4.1 |
| Subsidiary risk | - |
| Label(s) | 4.1 |
| Hazard No. (ADR) | 40 |
| Tunnel restriction code | E |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

RID

| | |
|---|---|
| 14.1. UN number | UN3175 |
| 14.2. UN proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (MINERAL SPIRITS) |
| 14.3. Transport hazard class(es) | |
| Class | 4.1 |
| Subsidiary risk | - |
| Label(s) | 4.1 |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

ADN

| | |
|---|---|
| 14.1. UN number | UN3175 |
| 14.2. UN proper shipping name | Solids containing flammable liquid, n.o.s. (Mineral Spirits) |
| 14.3. Transport hazard class(es) | |
| Class | 4.1 |
| Subsidiary risk | - |
| Label(s) | 4.1 |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Yes |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IATA

| | |
|---|---|
| 14.1. UN number | UN3175 |
| 14.2. UN proper shipping name | Solids containing flammable liquid, n.o.s. (Mineral spirits) |
| 14.3. Transport hazard class(es) | |
| Class | 4.1 |
| Subsidiary risk | - |
| Label(s) | 4.1 |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Yes |
| ERG Code | 3L |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IMDG

| | |
|---|---|
| 14.1. UN number | UN3175 |
| 14.2. UN proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (MINERAL SPIRITS) |
| 14.3. Transport hazard class(es) | |
| Class | 4.1 |
| Subsidiary risk | - |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | |
| Marine pollutant | Yes |
| EmS | F-A, S-I |
| 14.6. Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
CLP: Regulation No. 1272/2008.
vPvB: Very Persistent and very Bioaccumulative.
TWA: Time Weighted Average.
STEL: Short-term Exposure Limit.

References

C&L Inventory database.
Registry of Toxic Effects of Chemical Substances (RTECS)

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H372 Causes damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Training information

Follow training instructions when handling this material.

Disclaimer

TR Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.